

Google scholar

partial validation object model querying database

Search

[Advanced Scholar Search](#)[Scholar Preferences](#)

Scholar

Articles and patents

- 2003

include citations



Create email alert

Results 1 - 100 of about 5,790. (0.47 sec)

[\[PDF\] Calibrating the query optimizer cost model of IRO-DB, an object-oriented federated database system](#)[psu.edu \[PDF\]](#)

G Gardarin, F Sha, ZH Tang - PROCEEDINGS OF THE INTERNATIONAL ..., 1996 - Citeseer
 ... 5 gives the results of the calibrating procedure on ObjectStore and O2, which validate the approach. ... collects the results of local subqueries and performs the final combination of partial results on ... an import schema (IS), the number of objects, the average size of an object and the ...
 Cited by 75 - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - All 16 versions

[A model for evaluation and administration of security in object-oriented databases](#)[psu.edu \[PDF\]](#)

EB Fernandez, E Gudes, H Song - IEEE Transactions on Knowledge ..., 1994 - computer.org
 ... tiles are considered part of the schema metadata, and their placement can affect the efficiency of request validation. ... node, specifically whether the node (attribute) has full, partial, or no authorization. ... Page 7. FERNANDEZ et al.: SECURITY IN OBJECT-ORIENTED DATABASES ...
 Cited by 80 - [Related articles](#) - [BL Direct](#) - All 9 versions

[\[CITATION\] Evaluation of negative, predicate, and instance-based authorization in object-oriented databases](#)

E Gudes, H Song, EB Fernandez - ... WG 11.3 Workshop on Database ..., 1991 - North Holland
 Cited by 20 - [Related articles](#)

[\[PDF\] Spatial Query Languages: extended SQL vs visual languages vs hypermaps](#)[psu.edu \[PDF\]](#)

P Boursier, M Mainguenaud - InProc 5th International Symposium on ..., 1992 - Citeseer
 ... Following this approach several problems appear, among which the definition of the final result, or the validation of the partial results obtained in ... network processing and with the specifications on the data model (ie properties still true on a sub-set of the "object"), the overlap or ...
 Cited by 45 - [Related articles](#) - [View as HTML](#) - All 5 versions

[\[PDF\] Experiences in federated databases: From iro-db to miro-web](#)[psu.edu \[PDF\]](#)

P Fankhauser, G Gardarin, M Lopez, J Munoz, ... - ... ON VERY LARGE ..., 1996 - Citeseer
 ... Compared to the original application, the demonstra- tor revealed better data validation due to ...
 Complex schemas resulting from the partial integra- tion of many highly heterogeneous sources, and ... Cal- ibrating the query optimizer cost model of IRO-DB, an object-oriented feder ...
 Cited by 42 - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - All 12 versions

[\[BOOK\] Active rules in database systems](#)

NW Paton - 1999 - books.google.com
 ... 1 Breadth-First Propagation 92 5.5.2 Differencing Base Relations 93 5.5.3 Partial Differencing
 of ... and Design Support 128 7.2.1 Graphical Description Tools 128 7.2.2 Validation Tools 132 ...

Database Framework 216 10.4.1 Knowledge Model 216 10.4.2 Execution Model 216 10.4 ...

Cited by 293 - Related articles - Library Search - All 4 versions

Description logics for semantic query optimization in object-oriented database systems

D Beneventano, S Bergamaschi, C ... - ... Transactions on Database ... 2003 - portal.acm.org
... Section 3 deals with the data model, describing syntax and semantics of ODRE. ... Then, we introduce the rule schema, which is our specific extension to represent if-then rules in an object schema and the dis-tinction of the ... Description Logics for Semantic Query Optimization • 9 ...

Cited by 28 - Related articles - BL Direct - All 4 versions

[PDF] An update of the temporal database bibliography

psu.edu [PDF]

N Kline - Sigmod Record, 1993 - CiteSeer

... Temporal Extensions to a Uniform Behavioral **Object Model**," in Pro ... Uni-fying Temporal Data Models via a Conceptual **Model**." Technical Report 93-31. ... TQuery: a Context-sensitive Temporal **Query Language**." Computers and Biomedical Research, Oct. 1991, pp. 401/419. ...

Cited by 89 - Related articles - View as HTML - BL Direct - All 12 versions

[PDF] Ontology-based integration of information-a survey of existing approaches

psu.edu [PDF]

H Wache, T Voegelé, U Visser, H ... - IJCAI-01 Workshop: ..., 2001 - CiteSeer

... A source ontology is one (partial) refinement of the general ontology, eg re-stricts the value range of ... Examples of specialized object lan- guages come from the geographic domain ... The AMUN data model [Leclercq et al., 1999] for example claims to provide an integrated solution ...

Cited by 790 - Related articles - View as HTML - All 38 versions

Extensibility in the starburst experimental database system

B Lindsay, L Haas - Database Systems of the 90s, 1990 - Springer

... the atomicity of the generic (update) operations by initiating partial transaction rollback ... The structured object model is based on procedural (intentional) specifications of structural relationships among ... data behavior by responding to data state changes to validate those changes ...

Cited by 13 - Related articles - All 5 versions

A design environment for migrating relational to object oriented database systems

psu.edu [PDF]

J Jahnke, W Schafer, A Zundorf, P AG- ... - International ..., 1996 - ieeexplore.ieee.org

... varchar(15) not null, Compare with database Validate Constraints address varchar (50), title varchar (15 ... rela- tional system and to map this part first and to extend this partial schema migration ... The root of the SQL schema is represented by a nodelan object of type SQLSchema ...

Cited by 62 - Related articles - All 25 versions

A rule-based query processor for a heterogeneous object-oriented database environment-overview

RM Alzahrani, WA Gray, NJ ... - ..., 1995: Distributed Object ..., 1995 - ieeexplore.ieee.org

... The validation process takes as input the schema knowledge and a query envelope. ... are pushed down towards the leaves to reduce the number of object instances that ... Our approach to OO multidatabase query optimisation utilises partial cost-based techniques to determine the ...

Cited by 3 - Related articles - All 3 versions

Teallach: a model-based user interface development environment for object databases* 1

[psu.edu](#) [PDF]

T Griffiths, PJ Barclay, NW Paton, J McKirdy, J ... - Interacting with ..., 2001 - Elsevier
... For example, the Integer class can be used to **validate** numeric data, and the String class can be used to compute substrings of entered data. The Teallach domain **model** has been designed to be usable with different **object database** systems that conform to the ODMG ...

Cited by 93 - Related articles - All 22 versions

Chaos: An active security mediation system

[psu.edu](#) [PDF]

D Liu, K Law, G Wiederhold - Advanced Information Systems Engineering, 2000 - Springer
... Separate views can be constructed for each **partial** structure while appropriate access rights can be ... The package provides core XML capabilities including a fast XML parser with optional **validation** and an ... 4 For details about document **object model**, go to <http://www.w3.org/DOM> ...

Cited by 22 - Related articles - BL Direct - All 24 versions

[PDF] Toward updates in description logics

[psu.edu](#) [PDF]

M Roger, A Simonet, M Simonet - International Workshop on Knowledge ..., 2002 - Citeseer
... respectively membership values) in A as in 1. Given a **model** I we define the **partial** pre-order ... classified* objects consists in evaluating queries as described in 2.3 for each named concept and for each **object**. ... Moreover, only tests may **validate** the proposed optimised mechanisms ...

Cited by 14 - Related articles - View as HTML - All 12 versions

An integrated object-role oriented database model

S Coulondre, T Libourel - Data & Knowledge Engineering, 2002 - Elsevier
... View Within Article. Criteria semantics induce a **partial** order, defined by FOL logical implication. Fig. ... Fig. 3. An **object** view. View Within Article. 3. Formalization. This section develops the formal description of our data **model**. The presentation is inspired by [2 and 32]. ...

Cited by 14 - Related articles - All 5 versions

Object-oriented database as a dynamic system with implicit state

K Lellahi, A Zamulin - Advances in Databases and Information Systems, 2001 - Springer
... Schema Closure: It can be easily seen that the **model** supports multiple inheritance. ... **Object-Oriented Database as a Dynamic System with Implicit State** 245 of **partial** projection operations $\pi_i: r \rightarrow t_i$ and a record construction operation $\text{rec}: t_1, \dots, t_n \rightarrow r$ mapped in B to a **partial** ...

Cited by 7 - Related articles - BL Direct - All 5 versions

An approach for the interoperation of web-distributed applications with a design model

JA Arnold, P Teicholz, J Kunz - Automation in construction, 1999 - Elsevier
... integration activity consists of the logic that supports information selection, extraction, **validation** and communication. ... The library structure defines a component in terms of three **object** topologies, a ... used to constrain a **query** that formulates views of product **model** information for ...

Cited by 14 - Related articles - All 7 versions

[PDF] A feature database for multimedia objects

[psu.edu](#) [PDF]

ML Kersten, M Nes, MA Windhouwer - CWI Report INS-R, 1998 - Citeseer
... the **database** schema, augmented with predicates to derive the collection of **object** considered

for ... Moreover, no access is provided to **partial** parse tree already stored in the **database**. ... A large experimentation platform is currently under construction to **validate** the approach taken ...

[Cited by 15](#) - [Related articles](#) - [View as HTML](#) - [All 19 versions](#)

[\[PDF\] Using subsumption in semantic query optimization](#)

[psu.edu](#) [PDF]

D Beneventano, S Bergamaschi, S Lodi, C ... - ... Workshop on **Object**- ..., 1993 - Citeseer
... bene one gains by classifying the **query** into the class taxonomy will be the **validation** against
the ... well-founded \downarrow the transitive closure of \downarrow , which is denoted by \downarrow , is a strict **partial** order.1 ... it permits
to give class descriptions, ie types whose interpretation is a set of **object** identifiers. ...

[Cited by 23](#) - [Related articles](#) - [View as HTML](#) - [All 14 versions](#)

[\[PDF\] A compile-time model for safe information flow in object-oriented databases](#)

[bgu.ac.il](#) [PDF]

M Gendler-Fishman, E Gudes, I Beer- ... - Proceedings of the IFIP ..., 1997 - cs.bgu.ac.il
... After the **validation** algorithm, the AT yes contains only the nodes and the attributes to which
access is ... If such a **rule** is not found, then a **rule** authorizing **partial** access for a node in a ... val =
read(O:Attr) where O is **database object/class**, Attr is an attribute and val is the variable ...

[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [All 6 versions](#)

[Why and where: A characterization of data provenance](#)

[upenn.edu](#) [PDF]

P Buneman, S Khanna, T Wang-Chiew - **Database Theory—ICDT 2001**, 2001 - Springer
... Note that the result may not be a **partial** function in which case the deep union is ... Insofar as some
formal **model** for XML has been developed in the Document **Object Model** (DOM) [15] it is ... So far
we have explored the issue of what pieces of input data **validate** the existence of an ...

[Cited by 481](#) - [Related articles](#) - [BL Direct](#) - [All 10 versions](#)

[\[PDF\] SEMANTIC QUERY OPTIMIZATION IN AN OBJECT-ORIENTED SEMANTIC ASSOCIATION MODEL \(OSAM*\)](#)

[dtic.mil](#) [PDF]

GL Gleason - 1990 - dtic.mil
... Abstract of Thesis Presented to the Graduate School of the University of Florida in **Partial** Fulfillment
of the Requirements for the Degree ... shown in Figure 3. The b4 **object** represents the common
inner-association of ... **Query validation** ensures syntactic and semantic correctness of ...

[Cited by 1](#) - [Related articles](#) - [View as HTML](#) - [All 3 versions](#)

[\[PDF\] Six spaces for global information systems design](#)

[psu.edu](#) [PDF]

T Estier, G Falquet, J Guyot, M Léonard - 1991 - Citeseer
... structure (or hierarchy) is a set of semantic contexts ordered by a **partial** order relation ... The
composition of the objects life-cycle Petri Net with the constraints **validation** PN, restricted to ... We
shall analyze hereafter the relational and **object**-oriented models within the frame- work of ...

[Cited by 8](#) - [Related articles](#) - [View as HTML](#) - [All 4 versions](#)

[Updating relational databases through object-based views](#)

T Barsalou, N Siambela, AM Keller, G ... - ACM SIGMOD ..., 1991 - portal.acm.org
... on a view **object** is composed dynamically with the **object's** structure to obtain a relational **query**
that can be ... directed-graph representation of a **database**, where vertices correspond to relations
and edges to connections. ... the view-**object model** enables us to combine the abstrac- ...

[Cited by 116](#) - [Related articles](#) - [All 14 versions](#)

The ORES Temporal DBMS and the ERT-SQL query language

B Theodoulidis, A Ait-Brahim, G Karvelis - **Database and Expert Systems ...**, 1994 - Springer

... **Validation** in ORES [21] consists of a five-step process ... one of the following categories: total disjoint (TD), total overlapping (TO), **partial disjoint (PD)** and **partial overlapping (PO ...** Cheng, TS and Gadia, SK: "An **Object-Oriented Model for Temporal Databases**", in Proceedings of the ...

Cited by 6 - Related articles - BL Direct - All 3 versions

Building a robust relational implementation of topology

E Hoel, S Menon, S Morehouse - **Advances in Spatial and Temporal ...**, 2003 - Springer

... When a topology **rule** is violated, a topology error **object** is generated. ... This is a complex task given that it will require the **validation** of topology **rules** using **partial** information (eg, certain error instances may only be partially contained within the region being validated). 4.3

Cited by 22 - Related articles - BL Direct - All 4 versions

[esrifrance.fr \[PDF\]](#)

[PS] Automated update management for XML integrity constraints

M Benedikt, G Bruns, J Gibson, R Kuss, ... - Proc. Workshop on ..., 2002 - 204.178.16.26

... the semantics of FOC we **model** an XML document D as a **partial** function that ... although research systems such as Schematron [Jel] provide support for non-incremental **validation** of a ... the relational setting, while [JQ92] studies the issue in the context of **object-oriented databases ...**

Cited by 30 - Related articles - View as HTML - All 7 versions

[204.178.16.26 \[PS\]](#)

[PDF] Validating constraints with partial information: Research overview

J Widom, A Gupta, Y Sagiv - Proc. of the 5th Int. Workshop on the ..., 1994 - Citeseer

... This property is applicable only when the **partial** information includes portions of the **database**, ie the third class of problems in Section 1.1. ... If the **query** produces ... The difficulty of **validating** constraints naturally depends on the language that we use to express constraint queries. ...

Cited by 2 - Related articles - View as HTML - All 15 versions

[psu.edu \[PDF\]](#)

[PDF] Architecture of active database systems

A Buchmann - **Active Rules in Database Systems**, 1999 - Citeseer

... **Validation Privilege Class** definition ... To avoid this hotspot, some systems use distributed logging with deferred consolidation of the **partial** logs [BZW95]. ... Quite often the parameters to be passed include the state of the **object** that was just modified in the user transaction. ...

Cited by 14 - Related articles - View as HTML - All 6 versions

[psu.edu \[PDF\]](#)

Typed sets as a basis for object-oriented database schemas

H Balsters, R de By, R Zicari - **ECOOP93—Object-Oriented Programming**, 1993 - Springer

... To **validate** such a constraint the least one needs is the class extension as a whole. ... **object** constraints ... The set of types T is equipped with a subtyping relation 5. We speak of subtyping when there exists a **partial** order 5 on the set of types, and the typing **rules** are extended to the ...

Cited by 52 - Related articles - BL Direct - All 14 versions

[psu.edu \[PDF\]](#)

[PDF] Semantic integration of heterogeneous information sources

S Bergamaschi, S Castano, M Vinci, D ... - **Data & Knowledge ...**, 2001 - islab.dico.unimi.it

... can evolve and add new properties, but they will be retrieved as valid instances of the

[unimi.it \[PDF\]](#)

corresponding **object** pattern when processing a **query**. 2.1 Running example ... According to recommendations of ODMG and to the dif- fusion of /POB [2,20], the **object** data model ODL ...
[Cited by 269](#) - [Related articles](#) - [View as HTML](#) - [All 10 versions](#)

[\[PDF\] DL Techniques for Intensional Query Answering in OODBs](#)

[psu.edu](#) [PDF]

S Bergamaschi, C Sartori, M Vinci - Working Notes of the KI'95 ..., 1995 - Citeseer
... In this case LU BQ w Q w GLBQ and each bound can be seen as a **partial**
intensional answer to the **query**. ... B. Nebel. Acquisition and **validation** of com- plex
object database schemata supporting multi- ple inheritance. ...
[Cited by 5](#) - [Related articles](#) - [View as HTML](#) - [All 6 versions](#)

[\[PDF\] A customizable database editor based on an adaptive object model](#)

[psu.edu](#) [PDF]

W Witthawakul - 2001 - Citeseer
... Submitted in **partial** fulfillment of the requirements for the degree of Master of Science in Computer
Science in the Graduate College of the University of Illinois at Urbana-Champaign ... **validate()** ... Not
only do we use the Adaptive **Object Model** to **model** relational **database** tables, we ...
[View as HTML](#) - [All 3 versions](#)

[\[PDF\] An economic paradigm for query processing and data migration in Mariposa](#)

[psu.edu](#) [PDF]

M Stonebraker, R Devine, M Kornacker, W ... - ... Conference on Parallel ..., 1994 - Citeseer
... This will include, for example, the possibility that a site will refuse to process a **query** on behalf
of another site and will refuse to accept an **object** which a remote site wishes to evict from its
storage. ... To **model** this possible parallelism, we assume that the **query** can be ...
[Cited by 173](#) - [Related articles](#) - [View as HTML](#) - [All 31 versions](#)

[Enterprise information modeling and model integration in Carnot](#)

M Huhns, N Jacobs, T Ksiezzyk, WM Shen ... - ... : Proceedings of the ..., 1992 - books.google.com
... Developers require integrity **validation** of new ... models of the other databases or **partial** global
schemas [1]. For n databases, as many as n (n-1) **partial** global ... ie, a description of supported
services, such as the data **model** and languages, lexical definitions of **object** names, the ...
[Cited by 57](#) - [Related articles](#)

[The OO-Method approach for information systems modelling: from object-oriented conceptual modeling to automated programming](#)

O Pastor, J Gómez, E Insfrán, V Pelechano - Information Systems, 2001 - Elsevier
... The use of such a formal specification provides the **context** to **validate** and verify the system in
the solution ... Naturally, we have had to introduce relevant information to address specific features
of OASIS in these diagrams (**object model**, **dynamic model** and **functional model**). ...
[Cited by 181](#) - [Related articles](#) - [BL Direct](#) - [All 7 versions](#)

[Context inheritance and content inheritance in an object-oriented data model](#)

L Yu, S Osborn - Advances in Computing and Information—ICCI'91, 1991 - Springer
... The ((~)) and ((~)) **partial** orderings can be considered to be a complete lattice over classes ... Class
harmonization and class accommodation are introduced mainly for **validating** (statically) the
database ... the invokers bl, ..., b4 can be either reached by a (persistent) **object** handle or ...

[Cited by 1](#) - [Related articles](#) - [All 2 versions](#)

[A model of OASIS role-based access control and its support for active security](#)

[psu.edu \[PDF\]](#)

J Bacon, K Moody, W Yao - ACM Transactions on Information and ..., 2002 - portal.acm.org
... The appointment **model** avoids the problems of **partial** delegation. ... Estab- lishing privileges that are specific to some **object** can be handled naturally through the use of ... When describing our **model**, we blur the distinction between roles and role names where this will not lead to ...

[Cited by 272](#) - [Related articles](#) - [All 25 versions](#)

[\[PDF\] Accoi: A system for indexing multimedia objects](#)

[psu.edu \[PDF\]](#)

MA Windhouwer, AR Schmidt, ML Kersten - International Workshop on ..., 1999 - Citeseer
... expression (like images, MIDI files etc.) a black-box detector can be used to **validate** the value ...
Context-free grammars already provide a **partial** solution to this problem ... will be subject to change, as researchers will discover alternative or new methods to index a multimedia **object** ...

[Cited by 40](#) - [Related articles](#) - [View as HTML](#) - [All 16 versions](#)

[Neighborhood and associative query answering](#)

WW Chu, Q Chen - Journal of Intelligent Information Systems, 1992 - Springer
... and Chen, 1993; Chu, et al., 1991a, b) has been developed at UCLA as a testbed to **validate** the effectiveness ... where 1 implies complete satisfaction, 0 implies unsatisfaction, and a non-zero value implies **partial** satisfaction of the tuple t ... For example, based on the **object** schema ...

[Cited by 84](#) - [Related articles](#)

[A method for validating a conceptual model by natural language discourse generation](#)

[su.se \[PS\]](#)

H Dalianis - Advanced Information Systems Engineering, 1992 - Springer
... This combination will help both the design engineer to **validate** the CM and the end users to ... A **partial** solution to this problem is dependent on the question and the knowledge level of the ... a data base. These three types of questions or commands are: 1) How is an **object** defined ...

[Cited by 66](#) - [Related articles](#) - [All 4 versions](#)

[Subsumption for complex object data models](#)

D Beneventano, S Bergamaschi - Database Theory—ICDT92, 1992 - Springer
... queries can be expressed as derived classes these results also apply to intentional **query** answering and **query validation**. ... Given a schema a, a domain P and a **partial** possible instance ~, we say that a ... Although our **model** be an **object data model** s it is easy to see the analogy ...

[Cited by 15](#) - [Related articles](#) - [BL Direct](#) - [All 5 versions](#)

[Active object-oriented database systems for CIM applications](#)

[psu.edu \[PDF\]](#)

G Kappel, S Rausch-Schott, W Reitschitzegger, ... - ... in Computer Integrated ..., 1995 - Springer
... In order to ensure refer- ence **validation**, Ode supports three standard maintenance options. ... These include **partial** and total ordering (prior, relative, sequence), limited and unlim- ited ... **Object-Oriented Database System**) [Bern92] is a prototype reac- tive **object-oriented** system ...

[Cited by 6](#) - [Related articles](#) - [All 8 versions](#)

[A semantic approach for schema evolution and versioning in object-oriented databases](#)

[psu.edu \[PDF\]](#)

E Franconi, F Grandi, F Mandreoli - Computational Logic—CL 2000, 2000 - Springer
... difficult to consider the complete set of operators with respect to the constructs of the data model. ...
The set MS induces a **partial** order SV over a finite and discrete set of schema ... Let us now introduce
the meaning of an evolving **object-oriented** schema S. Informally, the semantics ...
[Cited by 75](#) - [Related articles](#) - [BL Direct](#) - [All 23 versions](#)

An intelligent approach to information integration

[psu.edu](#) [PDF]

S Bergamaschi, S Castano, SDC Di ... - Formal ontology in ..., 1998 - books.google.com
... code, faculty) and a **partial** view of its mapping table is shown in Figure 6. The ... M. Vinci, ...
ODB-Tools: a description log-ics based tool for schema **validation** and semantic ... 3, 1993, and
in Mod-ern Database Systems-The **Object Model**, Interoperability and Beyond, W. Kim (Editor ...
[Cited by 109](#) - [Related articles](#) - [All 17 versions](#)

Modeling of business rules for active database application specification

[141.85.107.254](#) [PDF]

Y Amghar, M Meziane, A Flory - Advanced topics in database ..., 2002 - books.google.com
... The main approaches used to define priorities are: total order and **partial** order. ... Active **rules** are
mapped to **database** procedures. Methodology The methodology used to **model** our application
is based on **object-oriented** method and is described as follows: 1 ...
[Cited by 5](#) - [Related articles](#) - [All 7 versions](#)

(PS) Interoperable Query Processing with Heterogeneous Information Servers

[umd.edu](#) [PS]

X Qian, L Raschidy, D Florescu, P Valduriez - 1995 - cfar.umd.edu
... The canonical **database** provides a distinct separation between target-schema-independent **partial**
evaluation and target-schema ... technique within the Flora compiler prototype, 5], and it has been
used for **validation** and experimentation with O2 **object** databases ...
[Related articles](#) - [View as HTML](#) - [All 3 versions](#)

Resource integration using a large knowledge base in Carnot

C Collet, MN Huhns, WM Shen - COMPUTER., 1991 - computer.org
... The num-ber of local agreements and **partial** glo-bal schemas may be as ... Name Domain Format
Makes-sense-for Documentation Integrity constraint **Validation** Synonym/homonym ... Schema **object**
Schema **object** Schema **object** Schema **object** Schema **object** Schema **object** ...
[Cited by 303](#) - [Related articles](#) - [All 5 versions](#)

Context Inheritance and Content Inheritance in an Object-Oriented Data Model

LYSL Osborn - Advances in computing and information—ICC'91 ..., 1991 - books.google.com
... The (1) and (7) **partial** orderings can be considered to be a complete lattice ... Class Accommodation
Class harmonization and class accommodation are introduced mainly for **validating** (statically)
the ... the invokers 61,..., 64 can be either reached by a (persistent) **object** handle or ...
[Related articles](#)

The Management of the ambiguities in a graphical query language for geographical information systems

D Calcinelli, M Mainguenaud - Advances in Spatial Databases, 1991 - Springer
... Each sub-query defined in the working space is associated with a **partial** functional expression. ...
as shown in hard-copy number 2. The user selects now the line basic **object**, by choosing ... With
the **validation** of this sub-que~ with the Valid option of the Working menu, the screen ...
[http://scholar.google.com/scholar?hl=en&q=partial+validation+object+model+g_context+rules&btnG=Search&as_sdr=00000000000000&as_ylo=as_yhi=2013&as_via=0 \(8 of 16\)8/25/2010 12:09:49 PM](#)

[Cited by 7](#) - [Related articles](#) - [All 4 versions](#)

[\[PDF\] Technical Survey of XML Schema and Query Languages](#)

[ucla.edu](#) [PDF]

A Bonifati, D Lee - 2001 - cobase.cs.ucla.edu

... As in the **object-oriented** paradigm, inheritance is done by extending or restricting the base types. ... Schematron is on **validating** XML structure, it does not provide any explicit built-in type. ... DTD: **Partial XML**-Schema: Yes RELAX: **Partial** SOX: Yes Schematron: Yes DSD: **Partial** ...

[Cited by 30](#) - [Related articles](#) - [View as HTML](#) - [All 9 versions](#)

[\[PDF\] Authorization and revocation in object-oriented databases](#)

[scilib.kiev.ua](#) [PDF]

I Majetic, EL Leiss - IEEE Transactions on Knowledge and Data ..., 1997 - scilib.kiev.ua

... An important issue for a **validation** mechanism is where to store the authorization **rule**. ... After the procedure finishes, either full authorization is given, or **partial** authorization (including none) is given one may want to ... 1) AO is Oi or one of its ancestors; 2) ai is known for **object** AO, ie ...

[Cited by 4](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 9 versions](#)

[\[PDF\] Database graph views: A practical model to manage persistent graphs](#)

[psu.edu](#) [PDF]

A Gutiérrez, P Pucheral, H Steffen, JM ... - PROCEEDINGS OF THE ..., 1994 - Citeseer

... We currently **validate** it in three different contexts, namely a ... several objects of Ω or a single **object** of Ω to participate in the definition of several nodes or edges of ... 1 and G 2 yields a **partial** graph of G 1 containing the edges which do not belong to G 2 . The edge difference ...

[Cited by 13](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 10 versions](#)

[\[PDF\] Leveraging mediator cost models with heterogeneous data sources](#)

[psu.edu](#) [PDF]

H Naacke, G Gardarin, A Tomic - RAPPORT DE RECHERCHE- ..., 1997 - Citeseer

... In the **validation** section of this paper, we provide evidence of the benefits of this ... the framework is extensible in the sense that some wrappers may only provide **partial** information about ... from wrappers with the default cost **model** of the mediators benefits from **object-orientation** to ...

[Cited by 85](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 22 versions](#)

[\[PDF\] The basic principles of query optimization in relational database management systems](#)

[hu-berlin.de](#) [PDF]

JC Freytag - Proc. of IFIP-89, 1989 - dbis.informatik.hu-berlin.de

... For example, in EXODUS and DASDB, the PDBP returns one "complex **object**", ie a hierarchical ... with a dynamic programming approach to avoid the redundant creation of (**partial**) QEPs [S+79]. ... The **validation** work by Mackert and Lohman also shows how well the cost functions ...

[Cited by 6](#) - [Related articles](#)

[\[PDF\] Defining the search space for query optimization in a heterogeneous database management system](#)

[psu.edu](#) [PDF]

D Florescu, L Raschid, P Valduriez - Under Review, 1996 - Citeseer

... Flora is a simple algebraic language Novak et al (1994)], for an **object data model**, with collection-oriented computational ... their signatures), is a **partial** order on O (corresponding to the inheritance relationship), and I is a function that ... is a heterogeneous **object** equivalence. ...

[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [All 3 versions](#)

[Inference in MLS database systems](#)

DG Marks - IEEE Transactions on Knowledge and Data ..., 1996 - ieeexplore.ieee.org
... A) THEN (T, A)_i or may be denoted as (T, A) + (T', A'). Since the **model** being used ... Any query accessing the names of all "spies" (even without referring to, or retrieving Job) would ... Typically a closed world is taken to mean that the **database** contains only true information, and all ...
[Cited by 55](#) - [Related articles](#) - [BL Direct](#) - [All 9 versions](#)

[\[PDF\] Knowledge-based integrity constraint validation](#)

[psu.edu](#) [PDF]

X Qian, G Wiederhold - Proceedings of the 12th Int. Conf. on Very Large ..., 1986 - Citeseer
... Distinctions can be made between total ver- sus **partial** mappings, onto versus into mappings, or one- to-one versus many-to-one mappings, etc. ... 6.1 Domain Constraint Validation The **validation** of domain constraint happens when- ever an **object** is INSERTed or an ...
[Cited by 30](#) - [Related articles](#) - [View as HTML](#) - [All 6 versions](#)

[\[PDF\] Dynamic query processing in a parallel object-oriented database system](#)

[utwente.nl](#) [PDF]

CA van den Berg - 1994 - doc.utwente.nl
... 4 we discuss the Goblin (distributed) storage **model** and compare three alternative **object** representation models ... Its (**partial**) implementation is used to test the efficiency of the processing scheme ... platform, it ranges from the programming language, data **model**, storage **model** to the ...
[Cited by 4](#) - [Related articles](#) - [View as HTML](#) - [All 7 versions](#)

[SUPER—Visual interaction with an object-based ER model](#)

[psu.edu](#) [PDF]

A Auddino, Y Dennebouy, Y Dupont, E Fontana, ... - ... Approach—ER'92, 1992 - Springer
... For instance, GUIDE [35] represents with different colors **partial** queries embedded in a complex **query** ... At any time, a **validation** function may be activated to check whether the actual schema ... It creates an **object** identical to the original one and bearing the same connections. ...
[Cited by 17](#) - [Related articles](#) - [BL Direct](#) - [All 10 versions](#)

[Using business rules within a design process of active databases](#)

Y Amghar, M Mezziane, A Flory - Data warehousing and web ..., 2002 - books.google.com
... The main approaches used to define priorities are Total order and **Partial** order. ... previous section how active **rules** can be represented in the specification of an **object** behavior ... Modules required treating dynamic aspects concern mainly: 1. The **validation** of both the semantic and ...
[Cited by 21](#) - [Related articles](#) - [BL Direct](#) - [All 22 versions](#)

[Denotational semantics for an active rule execution model](#)

T Coupaye, C Collet - Rules in Database Systems, 1995 - Springer
... semantics), which are executed at the end of the transaction (just before the **validation** of the ... more complicated than elements of A because once again of the underlying **object-oriented** data ... executed are picked up from this set according to priorities which define a **partial** or- der ...
[Cited by 24](#) - [Related articles](#) - [BL Direct](#) - [All 3 versions](#)

[Database design for a multi-scale spatial information system](#)

CB Jones, DB Kidner, LQ Luo, GL ... - International Journal ..., 1996 - informaworld.com
... based on high accuracy geometric representa- tions, and on user assertions, to **validate** the integrity of ... It employs slots (attribute variables and methods) common to the Real-World **Object**

Directory, the ... Where there is a **partial** match, comparison is performed at the lower level of ...
[Cited by 88](#) - [Related articles](#) - [BL Direct](#) - [All 3 versions](#)

A rule-based querying and updating language for XML

[uni-goettingen.de](#) [PS]

W May - *Database Programming Languages*, 2002 - Springer

... city/N. Nname N/population : Schema **querying** can eg be used for **validation** wrt ... a given universe consists of an interpretation \mathcal{I} of pred- cates over the universe, and a (**partial**) mapping that ... The variable are then propagated to the **rule** head where facts are added to the **model**. ...

[Cited by 11](#) - [Related articles](#) - [BL Direct](#) - [All 8 versions](#)

Database integration: the key to data interoperability

[psu.edu](#) [PDF]

C Parent, S Spaccapietra - ... in *Object-Oriented Data Modeling*, 2000 - books.google.com

... In these cases, **partial**, dynamic or incremental integration strategies are advisable. ... available data, the system has to know how to find in one **database** the object (instance or ... A. CarModel 3 B. CarModel MC A. name= B. code specifies that corresponding car **model** objects from ...

[Cited by 38](#) - [Related articles](#) - [All 12 versions](#)

Integrity control in relational database systems—an overview

[utwente.nl](#) [PDF]

PWJJ Grefen, PMG Apers - *Data & Knowledge Engineering*, 1993 - Elsevier

... Referential integrity constraints are even more important if the relational data **model** is used for the representation of **object**-oriented structures. ... It should be noted, however, that a **partial** transaction rollback does not fit nicely in the concept of transaction atomicity. ...

[Cited by 81](#) - [Related articles](#) - [All 10 versions](#)

[PDF] Labbase: A **database** to manage laboratory data in a large-scale genome-mapping project

[psu.edu](#) [PDF]

S Rozen, L Stein, N Goodman - *IEEE Computers in Medicine and Biology*, 1995 - Citeseer

... minimal functionality in order to **validate** its usefulness to users. ... These operations would then be followed by an analysis to determine a **partial** order among ... kinds and among step kinds. Support for work ow schemas similar to those in the **Object Protocol Model**, so that ...

[Cited by 16](#) - [Related articles](#) - [View as HTML](#) - [All 3 versions](#)

Measures for assessing dynamic complexity aspects of object-oriented conceptual schemes

G Poels, G Dedene - *Conceptual Modeling—ER 2000*, 2000 - Springer

... $J^3\{C, M, E, \dots\}$, we write that $\langle e, P \rangle = R \setminus J$. We define the **partial** maps $\mathcal{I}P \dots 20$ (1994) 199-206. Shepperd, M., Ince, D.: Algebraic **Validation** of Software Metrics. ... LC, Wüst, J., Ikononovski, S., Lounis, H.: A Comprehensive Investigation of Quality Factors in **Object-Oriented** Designs ...

[Cited by 34](#) - [Related articles](#) - [BL Direct](#) - [All 7 versions](#)

[PDF] Projector: a partially typed language for querying XML

[ed.ac.uk](#) [PDF]

R Connor, D Lievens, F Simeoni, S ... - *Proceedings of ...*, 2002 - homepages.inf.ed.ac.uk

... Rather than it being used primarily as a static mechanism to ensure the **partial** safety of ... The curly and square brackets in PL are syntactic forms representing JavaScript **object** and array ... No union type is included as the JavaScript untyped **model** makes this unnecessary for our ...

[Cited by 10](#) - [Related articles](#) - [View as HTML](#) - [All 11 versions](#)

[BOOK] Entity-relationship modeling: foundations of database technology

B Thalheim - 2000 - books.google.com

... The basic components of the ER-approach are: - the ER diagrammatic technique, - operators (definition/manipulation/query languages). ... The extended ER model covers extended ... Entity-relationship approaches can incorporate concepts known to object-oriented databases. ...

Cited by 410 - Related articles - Library Search - All 6 versions

[PDF] Query processing in a device database system

psu.edu [PDF]

P Bonnet, J Gehrke, T Mayr, P Seshadri - 1999 - CiteSeer

... 2.2 A Uniform Way of Modeling Devices In order to formalize the problem of querying a device network, we propose to model devices as objects in a database schema. ... Today's object-relational and object-oriented databases support Abstract Data Type (ADT) objects that ...

Cited by 23 - Related articles - View as HTML - All 9 versions

Requirements and comparison of view mechanisms for object-oriented databases* 1

R Motschnig-Pitrik - Information Systems, 1996 - Elsevier

... In general, it is assumed that, associated with a query, there exists some partial function f ... A LATTICE proposal allows for the update of view classes that are derived by object preserving rules ... The proposal shares with COOL the fundamental model of a class hierarchy with the ...

Cited by 43 - Related articles - All 5 versions

On formalizing the UML object constraint language OCL

psu.edu [PDF]

M Richters, M Gogolla - Conceptual Modeling-ER'98, 1998 - Springer

... understanding of UML class models and their interpretation, (3) a solid foundation for implementing CASE tools supporting simulation and validation of UML ... is a partial order on ... Figure 3 shows a UML object diagram representing part of a system state for the car rental model ...

Cited by 152 - Related articles - BL Direct - All 10 versions

Database schema design: a perspective from natural language techniques to validation and view integration

E Métais, JN Meunier, G Levreau - Entity-Relationship Approach—ER'93, 1994 - Springer

... 4. Contribution of Natural Language Interface to View Integration Starting from partial conceptual schemas called ... and that is not of the least importance, making documentation, validation and reverse ... [Bouzeghoub & Métais 91] "Semantic Approach For Object Oriented Database ...

Cited by 29 - Related articles - BL Direct - All 4 versions

[PDF] Scientific workflow management: WASA architecture and applications

psu.edu [PDF]

M Weske, G Vossen, CB Medeiros - ... Angewandte Mathematik und ..., 1996 - CiteSeer

... data are not part of the WASA architecture; instead, they will be handled through the Object Broker interface. ... the goal of the assembly is to return a single sequence, not a number of partial sequences of ... Human validation starts with viewing the results of the assembly process. ...

Cited by 39 - Related articles - View as HTML - All 5 versions

Vql: A query language for multiversion databases

T Abdessalam, G Jomier - Database Programming Languages, 1998 - Springer

... Timestamps may be either mono or multidimensional, based on validation time, transaction

time or user ... An α -value valuation function α_0 is a **partial** function from variables x of type $\tau \in \text{types}$...

The fifth column concerns the keeping of the track of an **object** through its versions, and ...

[Cited by 9](#) - [Related articles](#) - [BL Direct](#) - [All 5 versions](#)

Integrating **database** technology, **rule-based** systems and temporal reasoning for effective information systems: the

TEMPORA paradigm

P Loucopoulos, P McBrien, F ... - Information ..., 1991 - interscience.wiley.com

... non-filled – **partial**. ... 2 If an **object** A is part of the complex objects B and C , then the period during which A is part of B should have an empty intersection with the period during which A is part of C . Summarizing ... These are used during execution to **validate** the actions being taken. ...

[Cited by 34](#) - [Related articles](#) - [All 2 versions](#)

Application framework of objects for the provision of DICOM services

D Mason, BA Zimmerman - US Patent 5,668,998, 1997 - Google Patents

... PACS are only **partial** solutions to providing cost „ without modification. ... is struction and use during the **validation** of **query** An advantage of the API toolkit framework of the ... of normalized informa- Film Session, Film Box, Image Box, Printer, Print Job, tion **object** definition module ...

[Cited by 20](#) - [Related articles](#)

[PDF] A precise approach to validating UML models and OCL constraints

[psu.edu](#) [PDF]

M Richters... - Monographs of the Bremen Institute of Safe Systems, 2001 - Citeseer

... this defini- tion can be utilized for automatic and tool-supported **validation** of standard ... Proposals for a formal **object-oriented** metamodeling approach have been made in [CEK01, "Ove00]. ... **Model** elements describing entities of different conceptual levels are de- fined within a ...

[Cited by 135](#) - [Related articles](#) - [View as HTML](#) - [All 5 versions](#)

Rule **validation** based on logical deduction

[psu.edu](#) [PDF]

P Wu, SYW Su - Proceedings of the second international conference ..., 1993 - portal.acm.org

... Thus, the **validation** of an **object-oriented** knowledge base can be done by processing the ... That is, $\{1P\}$ is a **model** for S . A knowledge base containing the preceding propositions ... consistency/inconsistency in the **context** of **rule validation**, which takes the input facts of a ...

[Cited by 5](#) - [Related articles](#) - [All 7 versions](#)

Research issues in **database** specification

ML Brodie - ACM Sigmod Record, 1983 - portal.acm.org

... (semantic integrity **validation**). ... This captures the intuitive notion that a **database** can still be the same type of **object** i- new operations are added or existing ones are dropped or modified. ...

2. Means for structuring specifications and defin- ing **partial** functions. ...

[Cited by 9](#) - [Related articles](#) - [All 2 versions](#)

[PDF] The Xquery formal semantics: A foundation for implementation and optimization

[psu.edu](#) [PDF]

B Choi, M Fernandez, J Simeon - Bell Labs Research, 2002 - Citeseer

... Schema **Validation** Execution Layer Mapping Layer ... [7] Jeffrey Dean, Greg DeFouw, David Grove, Vassily Litvinov, and Craig Chambers. Vortex: An optimizing compiler for **object-oriented** languages. ... Tokens (only **partial**) – Variable ::= "\$ QName QName ::= ": ...

[Cited by 21](#) - [Related articles](#) - [View as HTML](#) - [All 9 versions](#)

[Automating software analysis and testing using a program transformation system](#)

G Kotik, L Markosian - Proceedings of the ACM SIGSOFT'89 third ..., 1989 - portal.acm.org
... The rule Analyze-Function-Call applies the test to an **object** in the **database** and if the test succeeds ... It is defined recursively with a number of base cases, several of which are shown in the following **partial** definition: ... 4.2.1 Generating program mutants for test suite **validation** ...

[Cited by 35](#) - [Related articles](#) - [All 3 versions](#)

[An executable visual formalism for object-oriented conceptual modeling](#)

DC Kung - Journal of Systems and Software, 1995 - Elsevier
... tions. A test sequence is a **partial** path from the root to any node. ... language. This step can be done by use of the formal method described in Kung (1985a). 5. **Validate** that each **object** specification matches the users' requirements. This ...

[Cited by 12](#) - [Related articles](#) - [All 10 versions](#)

[psu.edu](#) [PDF]

[Mapping a semantic database model to the relational model](#)

P Lyngbaek, V Vianu - ACM SIGMOD Record, 1987 - portal.acm.org
... As an example, consider the function Major Student -> Department which is typically **partial** (1 e , a ... Lower and upper **object** participations, which are referred to as partocpatron conatramts, can be ... 3 Mapping 1lm Schema8 to Relational Schemae The Jr-s **model** 1s currently ...

[Cited by 58](#) - [Related articles](#) - [All 3 versions](#)

[\[PDF\] A Framework for adaptive design](#)

M Devos, M Tilman, F Spiessens - Umea: Umeu University Department of ..., 1997 - Citeseer
... These **rules** capture business- semantics, set defaults and perform extra **validation**, filter information. ... Nested environments further specialize the view on the shared **object model**. ... The authorization mechanism makes no a priori assumption about a particular **model**. ...

[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [All 8 versions](#)

[psu.edu](#) [PDF]

[\[PDF\] Management of schema evolution in databases](#)

J Andany, M Léonard, C Palisser - ... of the 17th International Conference on ..., 1991 - vldb.org
... The **validation** of a new schema leads to the destruction of its predecessor, together with the corresponding data. ... The definition of **partial** views of the schema must also be allowed. ... It delivers all the **object** tuples linked to the **context**. ...

[Cited by 101](#) - [Related articles](#) - [View as HTML](#) - [All 7 versions](#)

[vldb.org](#) [PDF]

[A TTCN-3 based online test and validation platform for Internet services](#)

PH Deussen, G Din, I ... - The Sixth International ..., 2003 - ieeeexplore.ieee.org
... we consider **validation** in concurrent and distributed environments, the ordering can be **partial**: several steps ... from the target system – in particular, as the target system used itself **object** oriented data ... a prototype of this platform in order to experiment with the **validation** of services ...

[Cited by 18](#) - [Related articles](#) - [All 4 versions](#)

[\[PDF\] Exploiting schema knowledge for the integration of heterogeneous sources](#)

[psu.edu](#) [PDF]

S Bergamaschi, S Castano, SDC di Vimercati, S ... - Nazionale su Sistemi ..., 1998 - Citeseer
... partial or total schema unication is performed. ... to recommendations of 15), and to the diusion of the **object data model** (and its ... interface School_Member interface Student : CS_Person (source relational University (source **object** Computer_Science extent School_Member extent ...
[Cited by 18](#) - [Related articles](#) - [View as HTML](#) - [All 12 versions](#)

Regular object types

[epfl.ch](#) [PDF]

V Gapeyev, B Pierce - ECOOP 2003-Object-Oriented Programming, 2003 - Springer
... D, x, e) is a function defined on Classes with mbody(C) being a **partial** mapping that ... The syntax of expressions is introduced later—we don't need them for defining the data **model**.) ... in the Appendix.) The syntax of values a given in Figure 2 allows ill-formed **object** values new C(a ...
[Cited by 88](#) - [Related articles](#) - [BL Direct](#) - [All 11 versions](#)

A data model for XML databases

[psu.edu](#) [PDF]

V Wuwongse, K Akama, C Anutariya, E ... - Journal of Intelligent ..., 2003 - Springer
... and functionalities of XML data such as provision of supports for DTD/Schema **validation**, integrity constraints ... basic specializations in CX and their elements are called specializations, $\mu X : SX \rightarrow$ **partial** map($AX \dots head(C\theta) \mid C \in P, \theta \in SX, C\theta$ is a ground clause, **object**($C\theta$) $\subset X$...
[Cited by 35](#) - [Related articles](#) - [BL Direct](#) - [All 13 versions](#)

[PDF] A polygen model for heterogeneous database systems: The source tagging perspective

[psu.edu](#) [PDF]

YR Wang, SE Madnick - ... of the 16th International Conference on Very ..., 1990 - Citeseer
... addition, we have surveyed more than forty US commercial systems offering **partial** solutions to ... These problems include source tagging, **query** translation, schema integration [5, 321, inter-database ... local schemata and the polygen schema are all based on the relational **model**. ...
[Cited by 103](#) - [Related articles](#) - [View as HTML](#) - [All 16 versions](#)

Challenges for Query Processing in Object-Oriented Databases

OO Databases - **Query** processing for advanced database ..., 1994 - books.google.com
... 1987) is a structural **object model** with a more expressive **query** facility, but without an abstract type definition system. Its **query model** is interesting in that the result of a **query** is a subdatabase, rather than just a single collection of objects. ...
[Related articles](#) - [All 2 versions](#)

[PDF] Fuzzy XML queries via context-based choice of aggregations

[dml.cz](#) [PDF]

E Damiani, L Tanca, FA Fontana - KYBERNETIKA-PRAHA: 2000 - dspace.dml.cz
... a DTD: if the XML document is valid with respect to the DTD, **validation** usually produces a ... Since document nodes are unique, we shall assume a numerical **Object ID**, (OID) to be specified ... even when the **query** exploits the facilities provided by the language for **partial** or flexible ...
[Cited by 18](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 11 versions](#)

Life-cycle of a dual object-oriented specification model for real-time systems I

MA Bruno, P Nesi - Information and Software Technology, 1999 - Elsevier
... 2). In particular, Specification Assistant helps the user to automatically complete **partial** specifications and ... as a basis for the proposed life-cycle, but activities of verification and **validation**

have to ... The Reuse Analysis starts by making a query on the **Object Database** by using the ...
Cited by 3 - Related articles - All 7 versions

Ontologies are not the panacea in data integration: A flexible coordinator to mediate context construction

[uic.edu \[PDF\]](#)

AM Ouksel, I Ahmed - Distributed and Parallel Databases, 1999 - Springer

... At this point, the **context** mediator does not possess sufficient intelligence to **validate**, refute, or refine ... The specificity relationship induces a **partial** order such that a greatest lower bound (glb) exists ... **CONSULTANT** is an **object** that is a subset of **EMPLOYEE** and has a contextual ...

Cited by 24 - Related articles - BL Direct - All 7 versions

An object-oriented SGML/HyTime compliant multimedia database management system

psu.edu [PDF]

MT Özsu, P. Jolinski, D. Szafron, S. El-Medani, ... - Proceedings of the 1997 - portal.acm.org

... Both insertion and deletion will involve **validation** by the SGML parser. ... Eventtype A&Type VariantType Figure 9. **Partial Meta-type System** ... Virtual function resolution ensures that any **me&type object** will create the appropriate **object(s)** when its instantiation method is invoked. ...

Cited by 34 - Related articles - All 16 versions

[PDF] Knowledgeescapes: A probabilistic model for mining tacit knowledge for information retrieval

psu.edu [PDF]

HA Cheng - UC Berkley, 2001 - Citeseer

... We also varied the parameter d to examine the predictive performance of the model as more documents are browsed before dynamic reranking is invoked. For cross-validation computations, no partial query matches are allowed, i.e. a query q_2 is considered to ...

[Cited by 5](#) - [Related articles](#) - [View as HTML](#) - [All 5 versions](#)



[PDF] Building a Robust Relational Implementation of Topology

esri.com [PDF]

EHSMS Marehouse - 2003 - ajs.esri.com

... with the topology are selected on the basis of which topological relationships are important for the user's model. ... When a topology rule is violated, a topology error object is generated. ... Topology rule violations do not prevent the validation operation from successfully completing. ...

Related articles - All 2 versions



Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

partial validation object model query Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google



partial validation object model querying database Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)

Scholar

Articles and patents

- 2003

include citations



[Create email alert](#)

Results 1 - 100 of about 5,320. (0.47 sec)

A model for evaluation and administration of security in object-oriented databases

psu.edu [PDF]

EB Fernandez, E Gudes, H Song - IEEE Transactions on Knowledge ..., 1994 - computer.org
... considered part of the schema metadata, and their placement can affect the efficiency of request
validation. ... FERNANDEZ et al.: SECURITY IN OBJECT-ORIENTED DATABASES ... After both
procedures finish, either full authorization is given (AT is empty), or partial authorization is ...
Cited by 80 - Related articles - BL Direct - All 9 versions

[PDF] Calibrating the query optimizer cost model of IRO-DB, an object-oriented federated database system

psu.edu [PDF]

G Gardain, F Sha, ZH Tang - PROCEEDINGS OF THE INTERNATIONAL ..., 1996 - Citeseer
... 5 gives the results of the calibrating procedure on ObjectStore and O2, which validate the approach. ... collects the results of local subqueries and performs the final combination of partial results on ... an import schema (S), the number of objects, the average size of an object and the ...
Cited by 75 - Related articles - View as HTML - BL Direct - All 16 versions

[CITATION] Evaluation of negative, predicate, and instance-based authorization in object-oriented databases
E Gudes, H Song, EB Fernandez - ... WG 11.3 Workshop on Database ..., 1991 - North Holland
Cited by 20 - Related articles

Typed sets as a basis for object-oriented database schemas

psu.edu [PDF]

H Baisters, R de By, R Zicari - ECOOP'93—Object-Oriented Programming, 1993 - Springer
... To **validate** such a constraint the least one needs is the class extension as a whole. ... **object**
constraints ... The set of **types** **T** is equipped with a subtyping relation \leq . We speak of subtyping when
there exists a **partial** order \leq on the set of **types**, and the typing **rules** are extended to the ...
Cited by 52 · Related articles · BI Direct · All 14 versions

[PDF] Spatial Query Languages: extended SQL vs visual languages vs hypermaps

psu.edu [PDF]

P Boursier, M Mainguenaud - InProc 5th International Symposium on ..., 1992 - Citeseer
... Following this approach several problems appear, among which the definition of the final result, or the **validation** of the **partial** results obtained in ... network processing and with the specifications on the data **model** (ie properties still true on a sub-set of the "**object**", the overlap or ...
Cited by 45 · Related articles · View as HTML · All 5 versions

rPDF DL Techniques for Intensional Query Answering in OODBs

psu.edu [PDF]

... In this case LU BQ w Q w GLBQ and each bound can be seen as a **partial** intensional answer to the **query**. ... B. Nebel. Acquisition and validation of complex

object database schemata supporting multi-ple inheritance. ...

[Cited by 5](#) - [Related articles](#) - [View as HTML](#) - [All 6 versions](#)

[PDF] A feature **database** for multimedia objects

[psu.edu](#) [PDF]

ML Kersten, M Nes, MA Windhouwer - CWI Report INS-R, 1998 - CiteSeer

... the **database** schema, augmented with predicates to derive the collection of **object** considered for ... Moreover, no access is provided to **partial** parse tree already stored in the **database**. ... A large experimentation platform is currently under construction to **validate** the approach taken ...

[Cited by 15](#) - [Related articles](#) - [View as HTML](#) - [All 19 versions](#)

[PDF] Experiences in federated databases: From iro-db to miro-web

[psu.edu](#) [PDF]

P Fankhauser, G Gardarin, M Lopez, J Munoz, ... - ... ON VERY LARGE ..., 1998 - CiteSeer

... Compared to the original application, the demonstra- tor revealed better data **validation** due to ... Complex schemas resulting from the **partial** integra- tion of many highly heterogeneous sources, and ... Cal- ibrating the **query** optimizer cost **model** of IRO-DB, an **object-oriented** feder ...

[Cited by 42](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 12 versions](#)

Extensibility in the starburst experimental **database** system

B Lindsay, L Haas - **Database** Systems of the 90s, 1990 - Springer

... the atomicity of the generic (update) operations by initiating **partial** transaction rollback ... The structured **object model** is based on procedural (intentional) specifications of structural relationships among ... data behavior by responding to data state changes to **validate** those changes ...

[Cited by 13](#) - [Related articles](#) - [All 5 versions](#)

Orthogonally persistent **object** systems

[psu.edu](#) [PDF]

M Atkinson, R Morrison - The VLDB Journal, 1995 - Springer

... Similarly, the choice of programming paradigm (**query** language, imperative language, logic language, **object-oriented** ... whatever happens, the programmers only need to understand one **model**, and maintain ... VLDB Journal 4 (3) Atkinson: Orthogonally Persistent **Object** Systems ...

[Cited by 294](#) - [Related articles](#) - [All 22 versions](#)

[BOOK] Active **rules** in **database** systems

NW Paton - 1999 - books.google.com

... Breadth-First Propagation 92 5.5.2 Differencing Base Relations 93 5.5.3 **Partial** Differencing of ... and Design Support 128 7.2.1 Graphical Description Tools 128 7.2.2 **Validation** Tools 132 ... 13.1 Introduction 249 13.2 The Knowledge **Model** 251 13.3 The Execution **Model** 251 13.4 ...

[Cited by 293](#) - [Related articles](#) - [Library Search](#) - [All 4 versions](#)

Integrity control in relational **database** systems—an overview

[utwente.nl](#) [PDF]

PWPJ Grefen, PMG Apers - Data & Knowledge Engineering, 1993 - Elsevier

... Referential integrity constraints are even more important if the relational **data model** is used for the representation of **object-oriented** structures. ... It should be noted, however, that a **partial** transaction rollback does not fit nicely in the concept of transaction atomicity. ...

[Cited by 81](#) - [Related articles](#) - [All 10 versions](#)

[\[PDF\] Ontology-based integration of information-a survey of existing approaches](#)

[psu.edu](#) [PDF]

H Wache, T Voegelé, U Visser, H ... - IJCAI-01 Workshop: ..., 2001 - Citeseer

... A source ontology is one (**partial**) refinement of the general ontology, eg re-stricts the value range of ... Examples of specialized **object** languages come from the geographic domain ... The AMUN data model [Leclercq et al., 1999] for example claims to provide an integrated solution ...

[Cited by 790](#) - [Related articles](#) - [View as HTML](#) - [All 38 versions](#)

[Description logics for semantic query optimization in object-oriented database systems](#)

D Beneventano, S Bergamaschi, C ... - Transactions on Database ..., 2003 - portal.acm.org

... Section 3 deals with the data **model**, describing syntax and semantics of ODLRE. ... Then, we introduce the **rule** schema, which is our specific extension to represent if-then **rules** in an **object** schema and the distinction of the ... Description Logics for Semantic Query Optimization • 9 ...

[Cited by 28](#) - [Related articles](#) - [BL Direct](#) - [All 4 versions](#)

[An integrated object-role oriented database model](#)

S Coulondre, T Libourel - Data & Knowledge Engineering, 2002 - Elsevier

... Note that this characteristic allows the expression, in our **model**, of an usual ODMG class simply as a class with one top role. ... By extension, we will also denote by the term role the valuation associated with a role, at the **object** level. ... The **partial** order over the classes is: Animal ...

[Cited by 14](#) - [Related articles](#) - [All 5 versions](#)

[Building a robust relational implementation of topology](#)

[esrfrance.fr](#) [PDF]

E Hoel, S Menon, S Morehouse - Advances in Spatial and Temporal ..., 2003 - Springer

... When a topology **rule** is violated, a topology error **object** is generated. ... This is a complex task given that it will require the **validation** of topology **rules** using **partial** information (eg, certain error instances may only be partially contained within the region being validated). 4.3

[Cited by 22](#) - [Related articles](#) - [BL Direct](#) - [All 4 versions](#)

[SUPER—Visual interaction with an object-based ER model](#)

[psu.edu](#) [PDF]

A Audino, Y Dennebouy, Y Dupont, E Fontana, ... - Approach—ER92, 1992 - Springer

... For instance, GUIDE [35] represents with different colors **partial** queries embedded in a complex **query**. ... At any time, a **validation** function may be activated to check whether the actual schema ... It creates an **object** identical to the original one and bearing the same connections. ...

[Cited by 17](#) - [Related articles](#) - [BL Direct](#) - [All 10 versions](#)

[\[PDF\] Using subsumption in semantic query optimization](#)

[psu.edu](#) [PDF]

D Beneventano, S Bergamaschi, S Lodi, C ... - Workshop on Object- ..., 1993 - Citeseer

... bene t one gains by classifying the **query** into the class taxonomy will be the **validation** against the ... well-founded i the transitive closure of j, which is denoted by j, is a strict **partial** order.1 ... it permits to give class descriptions, ie **types** whose interpretation is a set of **object** identifiers. ...

[Cited by 23](#) - [Related articles](#) - [View as HTML](#) - [All 14 versions](#)

[\[PDF\] The Xquery formal semantics: A foundation for implementation and optimization](#)

[psu.edu](#) [PDF]

B Choi, M Fernandez, J Simeon - Bell Labs Research, 2002 - Citeseer

... Schema **Validation** Execution Layer Mapping Layer ... [7] Jeffrey Dean, Greg DeFouw, David Grove,

Vassily Litvinov, and Craig Chambers. Vortex: An optimizing compiler for object-oriented languages. ... Tokens (only partial) -- Variable ::= "\$ QName QName ::= ": ...

[Cited by 21](#) - [Related articles](#) - [View as HTML](#) - [All 9 versions](#)

The ORES Temporal DBMS and the ERT-SQL query language

B Theodoulidis, A Ait-Braham, G Karvelis - **Database and Expert Systems ...**, 1994 - Springer
... **Validation** in ORES [21] consists of a five-step process. ... objects of an entity class are supposed to have an independent existence of other **object**, while objects ... of the following categories: total disjoint (TD), total overlapping (TO), **partial** disjoint (PD) and **partial** overlapping (PO). ...

[Cited by 6](#) - [Related articles](#) - [BL Direct](#) - [All 3 versions](#)

Teallach: a model-based user interface development environment for object databases* 1

[psu.edu](#) [PDF]

T Griffiths, PJ Barclay, NW Paton, J McKirdy, J ... - Interacting with ..., 2001 - Elsevier
... For example, the Integer class can be used to **validate** numeric data, and the String class can be used to compute substrings of entered data. The Teallach domain **model** has been designed to be usable with different **object database** systems that conform to the ODMG ...

[Cited by 93](#) - [Related articles](#) - [All 22 versions](#)

[PDF] An update of the temporal database bibliography

[psu.edu](#) [PDF]

N Kline - *Sigmod Record*, 1993 - CiteSeer
... Temporal Extensions to a Uniform Behavioral **Object Model**," in Pro ... Uni-fying Temporal Data Models via a Conceptual **Model**." Technical Report 93-31. ... TQuery: a **Context**-sensitive Temporal **Query Language**." *Comput- ers and Biomedical Research*, Oct. 1991, pp. 401/419. ...

[Cited by 89](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 12 versions](#)

[PDF] XML: From practice to theory

[psu.edu](#) [PDF]

V Vianu, UC San Diego - Simpósio Brasileiro de Banco de Dados (SBBDD ...), 2003 - CiteSeer
... extensions to XML and DTDs proposed by W3C, such as RDF, also have an **object-oriented** flavor ... is a significant improvement over brute-force re-validation from scratch. ... It is shown that the representation system can capture the **partial** information about the source document ...

[Cited by 6](#) - [Related articles](#) - [View as HTML](#) - [All 8 versions](#)

Updating relational databases through object-based views

T Barsalou, N Siambela, AM Keller, G ... - *ACM SIGMOD ...*, 1991 - portal.acm.org
... on a view **object** is composed dynamically with the **object's** structure to obtain a relational **query** that can be ... directed-graph representation of a **database**, where vertices correspond to relations and edges to connections. ... the view-**object model** enables us to combine the abstrac- ...

[Cited by 116](#) - [Related articles](#) - [All 14 versions](#)

Integration of biological data and quality-driven source negotiation

L Berti-Equille - *Conceptual Modeling—ER 2001*, 2001 - Springer
... GenBank AF184234 **Partial** 772 Genbank AAF01222 Sept.99 Detailed but incomplete annotation ... different biological databanks : they are semantically related but biologists still must **validate** the correctness of ... conformance scores range from 0 to 1. A multi-source **object** is built ...

[Cited by 5](#) - [Related articles](#) - [BL Direct](#) - [All 5 versions](#)

A semantic approach for schema evolution and versioning in object-oriented databases

[psu.edu \[PDF\]](#)

E Franconi, F Grandi, F Mandreoli - Computational Logic—CL 2000, 2000 - Springer

... difficult to consider the **complete** set of operators with respect to the constructs of the data **model**. ...

The set MS induces a **partial** order SV over a finite and discrete set of schema ... Let us now introduce

the meaning of an evolving **object-oriented** schema S . Informally, the semantics ...

Cited by 75 - Related articles - BL Direct - All 23 versions

[PDF] SEMANTIC QUERY OPTIMIZATION IN AN OBJECT-ORIENTED SEMANTIC ASSOCIATION MODEL (OSAM')

[dtic.mil \[PDF\]](#)

GL Gleason - 1990 - dtic.mil

... Abstract of Thesis Presented to the Graduate School of the University of Florida in **Partial** Fulfillment

of the Requirements for the Degree ... shown in Figure 3. The b_4 **object** represents the common

inner-association of ... **Query validation** ensures syntactic and semantic correctness of ...

Cited by 1 - Related articles - View as HTML - All 3 versions

[PDF] Accoi: A system for indexing multimedia objects

[psu.edu \[PDF\]](#)

MA Windhouwer, AR Schmidt, ML Kersten - International Workshop on ..., 1999 - CiteSeer

... expression (like images, MIDI files etc.) a black-box detector can be used to **validate** the value ...

Context-free grammars already provide a **partial** solution to this problem ... will be subject to change,

as researchers will discover alternative or new methods to index a multimedia **object**. ...

Cited by 40 - Related articles - View as HTML - All 16 versions

Denotational semantics for an active rule execution model

T Coupaye, C Collet - Rules in Database Systems, 1995 - Springer

... semantics), which are executed at the end of the transaction (just before the **validation** of the ... more

complicated than elements of A because once again of the underlying **object-oriented** data ...

executed are picked up from this set according to priorities which define a **partial** or-der ...

Cited by 24 - Related articles - BL Direct - All 3 versions

[PDF] A compile-time model for safe information flow in object-oriented databases

[bgu.ac.il \[PDF\]](#)

M Gendler-Fishman, E Gudes, I Beer- ... - Proceedings of the IFIP ..., 1997 - cs.bgu.ac.il

... After the **validation** algorithm, the AT yes contains only the nodes and the attributes to which

access ... If such a **rule** is not found, then a **rule** authorizing **partial** access for a node in ... Access lists

There are several access lists associated with each **object** in-cluding RACL(o) - the list ...

Cited by 2 - Related articles - View as HTML - All 6 versions

Subsumption for complex object data models

D Beneventano, S Bergamaschi - Database Theory—ICDT'92, 1992 - Springer

... queries can be expressed as derived classes these results also apply to intentional **query**

answering and **query validation**. ... Given a schema a , a domain P and a **partial** possible instance ~,

we say that a ... Although our **model** be an **object data model** s it is easy to see the analogy ...

Cited by 15 - Related articles - BL Direct - All 5 versions

A model of OASIS role-based access control and its support for active security

[psu.edu \[PDF\]](#)

J Bacon, K Moody, W Yao - ACM Transactions on Information and ..., 2002 - portal.acm.org

... The appointment **model** avoids the problems of **partial** delegation. ... Estab-lishing privileges that

are specific to some **object** can be handled naturally through the use of ... When describing our **model**, we blur the distinction between roles and role names where this will not lead to ...

[Cited by 272](#) - [Related articles](#) - [All 25 versions](#)

[\[PDF\] An economic paradigm for query processing and data migration in Mariposa](#)

[psu.edu \[PDF\]](#)

M Stonebraker, R Devine, M Kornacker, W ... - ... Conference on Parallel ..., 1994 - Citeseer
... This will include, for example, the possibility that a site will refuse to process a **query** on behalf of another site and will refuse to accept an **object** which a remote site wishes to evict from its storage. ... To **model** this possible parallelism, we assume that the **query** can be ...

[Cited by 173](#) - [Related articles](#) - [View as HTML](#) - [All 31 versions](#)

[\[PDF\] Toward updates in description logics](#)

[psu.edu \[PDF\]](#)

M Roger, A Simonet, M Simonet - International Workshop on Knowledge ..., 2002 - Citeseer
... respectively membership values) in A as in I. Given a **model** I we define the **partial** pre-order ...
classified" objects consists in evaluating queries as described in 2.3 for each named concept and for each **object**. ... Moreover, only tests may **validate** the proposed optimised mechanisms ...

[Cited by 14](#) - [Related articles](#) - [View as HTML](#) - [All 12 versions](#)

[Mapping a semantic database model to the relational model](#)

P Lyngbaek, V Vianu - ACM SIGMOD Record, 1987 - portal.acm.org

... As an example, consider the function MaJor Student -> Department which IS typically **partial**
(1 e, a ... Lower and upper **object** participations, which are referred to as partorpatron conatramts,
can be ... 3 Mapping lrm Schema8 to Relational Schemae The Jr-s **model** 1s currently ...

[Cited by 58](#) - [Related articles](#) - [All 3 versions](#)

[\[PDF\] A precise approach to validating UML models and OCL constraints](#)

[psu.edu \[PDF\]](#)

M Richters... - Monographs of the Bremen Institute of Safe Systems, 2001 - Citeseer
... of this thesis is to define a precise framework that allows an anal- ysis and **validation** of OCL ... An
integrated view based on a mathematical system **model** is proposed in [BGH+97]. ... on the integration
of UML with mature formal specification notations like Z and **Object-Z** [FBLPS97]. ...

[Cited by 135](#) - [Related articles](#) - [View as HTML](#) - [All 5 versions](#)

[Neighborhood and associative query answering](#)

WW Chu, Q Chen - Journal of Intelligent Information Systems, 1992 - Springer

... and Chen, 1993; Chu, et al., 1991a, b) has been developed at UCLA as a testbed to **validate**
the effectiveness ... where 1 implies **complete** satisfaction, 0 implies unsatisfaction, and a non-zero
value implies **partial** satisfaction of the tuple t ... For example, based on the **object** schema ...

[Cited by 84](#) - [Related articles](#)

[Research issues in database specification](#)

ML Brodie - ACM Sigmod Record, 1983 - portal.acm.org

... semantic integrity validation). ... 2. Means for structuring specifications and defin- ing **partial** functions ...
8. Different specifications of an **object** at one level of detail or abstraction, each having different
properties (eg. views and multi- level specifications of an **object** at different levels of ...

[Cited by 9](#) - [Related articles](#) - [All 2 versions](#)

can be done by use of the formal method described in Kung (1985a). 5. **Validate** that each **object** specification matches the users' requirements. This ...

[Cited by 12 - Related articles - All 10 versions](#)

Modeling of business rules for active database application specification

[141.85.107.254 \[PDF\]](#)

Y Amghar, M Meziane, A Flory - Advanced topics in database ..., 2002 - books.google.com
... The main approaches used to define priorities are: total order and **partial** order. ... **Active rules** are mapped to **database** procedures. Methodology The methodology used to **model** our application is based on **object-oriented** method and is described as follows: 1 ...

[Cited by 5 - Related articles - All 7 versions](#)

The Management of the ambiguities in a graphical query language for geographical information systems

D Calcinelli, M Mainguenaud - Advances in Spatial Databases, 1991 - Springer
... Each sub-**query** defined in the working space is associated with a **partial** functional expression. ... as shown in hard-copy number 2. The user selects now the line basic **object**, by choosing ... With the **validation** of this sub-que~ with the Valid option of the Working menu, the screen ...

[Cited by 7 - Related articles - All 4 versions](#)

Using business rules within a design process of active databases

Y Amghar, M Meziane, A Flory - Data warehousing and web ..., 2002 - books.google.com
... The main approaches used to define priorities are Total order and **Partial** order. ... previous section how active **rules** can be represented in the specification of an **object** behavior ... Modules required treating dynamic aspects concern mainly: 1. The **validation** of both the semantic and ...

[Cited by 21 - Related articles - BL Direct - All 22 versions](#)

The OO-Method approach for information systems modelling: from object-oriented conceptual modeling to automated programming

O Pastor, J Gómez, E Infrán, V Pelechano - Information Systems, 2001 - Elsevier
... The use of such a formal specification provides the **context** to **validate** and verify the ... **object** state depending on the arguments of the service involved, and the **object's** current state. ... The relevant contribution of this functional **model** is the concept of the categorization of attributes. ...

[Cited by 181 - Related articles - BL Direct - All 7 versions](#)

[PDF] Authorization and revocation in object-oriented databases

[scilib.kiev.ua \[PDF\]](#)

I Majetic, EL Leiss - IEEE Transactions on Knowledge and Data ..., 1997 - scilib.kiev.ua
... An important issue for a **validation** mechanism is where to store the authorization **rule**. ... After the procedure finishes, either full authorization is given, or **partial** authorization (including none) is given none may want to ... 1) AO is Oi or one of its ancestors; 2) ai is known for **object** AO, ie ...

[Cited by 4 - Related articles - View as HTML - BL Direct - All 9 versions](#)

Rule validation based on logical deduction

[psu.edu \[PDF\]](#)

P Wu, SYW Su - Proceedings of the second international conference ..., 1993 - portal.acm.org
... Thus, the **validation** of an **object-oriented** knowledge base can be done by processing the ... That is, {1P} is a **model** for S. A knowledge base containing the preceding propositions ... consistency/inconsistency in the **context** of **rule validation**, which takes the input facts of a ...

[Cited by 5](#) - [Related articles](#) - [All 7 versions](#)

Measures for assessing dynamic complexity aspects of object-oriented conceptual schemes

G Poels, G Dedene - Conceptual Modeling—ER 2000, 2000 - Springer

... J^3 (C, M, E, '), we write that $(e, P) = R/J$. We define the **partial maps** ΠP ... 20 (1994) 199-206 6.

Shepperd, M, Ince, D.: Algebraic Validation of Software Metrics. ... LC, Wüst, J., Ikononovski, S.,

Lounis, H.: A Comprehensive Investigation of Quality Factors in **Object-Oriented Designs** ...

[Cited by 34](#) - [Related articles](#) - [BL Direct](#) - [All 7 versions](#)

An intelligent approach to information integration

[psu.edu](#) [PDF]

S Bergamaschi, S Castano, SDC Di ... - Formal ontology in ..., 1998 - books.google.com

... code, faculty) and a **partial** view of its mapping table is shown in Figure 6. The ... M. Vinci, "

ODB-Tools: a description log-ics based tool for schema **validation** and semantic ... 3, 1993, and

in Mod-ern **Database Systems-The Object Model**, Interoperability and Beyond, W. Kim (Editor ...

[Cited by 109](#) - [Related articles](#) - [All 17 versions](#)

[PDF] Projector: a partially typed language for querying XML

[ed.ac.uk](#) [PDF]

R Connor, D Lievens, F Simeoni, S ... - Proceedings of ..., 2002 - homepages.inf.ed.ac.uk

... Rather than it being used primarily as a static mechanism to ensure the **partial** safety of ... The curly

and square brackets in PL are syntactic forms representing JavaScript **object** and array ... No union

type is included as the JavaScript untyped **model** makes this unnecessary for our ...

[Cited by 10](#) - [Related articles](#) - [View as HTML](#) - [All 11 versions](#)

[PDF] Database graph views: A practical model to manage persistent graphs

[psu.edu](#) [PDF]

A Gutiérrez, P Pucheral, H Steffen, JM ... - PROCEEDINGS OF THE ..., 1994 - Citeseer

... We currently **validate** it in three different contexts, namely a ... several objects of Ω or a single **object**

of Ω to participate in the definition of several nodes or edges of ... 1 and G 2 yields a **partial** graph

of G 1 containing the edges which do not belong to G 2 . The edge difference ...

[Cited by 13](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 10 versions](#)

[PDF] XML: Model, schemas, types, logics, and queries

[unsw.edu.au](#) [PDF]

N Kiarlund, T Schwenick, D Suciu - Logics for Emerging ..., 2003 - cse.unsw.edu.au

... Thus, the order relation $<$ is in reality a **partial** relation. ... a node is an **object**, which physically is

a piece of allocated memory; in DOM, this **object** contains pointers ... Thus, this **model** is

fundamentally different from the storage **model** of S-expressions, recursive data **types**, and even ...

[Cited by 32](#) - [Related articles](#) - [View as HTML](#) - [All 9 versions](#)

Automating software analysis and testing using a program transformation system

G Kotik, L Markosian - Proceedings of the ACM SIGSOFT'89 third ..., 1989 - portal.acm.org

... sively with a number of base cases, several of which are shown in the following **partial** definition ...

4.2.1 Generating program mutants for test suite **validation** ... We have found that the **object-oriented**

database representation more closely approximates the con- ceptual **model** held by ...

[Cited by 35](#) - [Related articles](#) - [All 3 versions](#)

The functional data model and the data languages DAPLEX

[gatech.edu](#) [PDF]

DW Shipman - ACM Transactions on Database Systems (TODS), 1981 - portal.acm.org
... for example, the enrollment of a student in a course as a conceptual **object**, and then to assign a "grade of" property to that "**object**." With DAPLEX ... Functional Data Model and DAPLEX * 151 ...'
Had we, for some reason, desired duplicate courses to be listed, the **query** would have ...
[Cited by 992](#) - [Related articles](#) - [All 7 versions](#)

Database integration: the key to data interoperability

[psu.edu](#) [PDF]

C Parent, S Spaccapietra - ... in **Object-Oriented Data Modeling**, 2000 - books.google.com
... In these cases, **partial**, dynamic or incremental integration strategies are advisable. ... available data, the system has to know how to find in one **database** the **object** (instance or ... A. CarModel
3 B. CarModel MC A. name= B. code specifies that corresponding car **model** objects from ...
[Cited by 38](#) - [Related articles](#) - [All 12 versions](#)

[PDF] Semantic query optimization by subsumption in OODB

[psu.edu](#) [PDF]

D Beneventano, S Bergamaschi, C Sartori - Flexible **Query** Answering ..., 1996 - Citeseer
... The generality and independence from any specific cost **model** and storage details of the proposed method ... relation is cycle-free, ie, the transitive closure of \bar{j} , written \bar{j}^+ , is a strict **partial** order. ... For a given **object** assignment σ , each **type** expression S is given a set of values as its ...
[Cited by 16](#) - [Related articles](#) - [View as HTML](#) - [All 16 versions](#)

[PDF] A customizable database editor based on an adaptive object model

[psu.edu](#) [PDF]

W Witthawaskul - 2001 - Citeseer
... Submitted in **partial** fulfillment of the requirements for the degree of Master of Science in Computer Science in the Graduate College of the University of Illinois at Urbana-Champaign ... **validate()** ... Not only do we use the Adaptive **Object Model** to **model** relational **database** tables, we ...
[View as HTML](#) - [All 3 versions](#)

Context inheritance and content inheritance in an object-oriented data model

L Yu, S Osborn - Advances in Computing and Information—ICCI'91, 1991 - Springer
... The $(\bar{\cdot})$ and $(\bar{\cdot})$ **partial** orderings can be considered to be a **complete** lattice over classes ... Class harmonization and class accommodation are introduced mainly for **validating** (statically) the **database** ... the invokers b_1, \dots, b_4 can be either reached by a (persistent) **object** handle or ...
[Cited by 1](#) - [Related articles](#) - [All 2 versions](#)

The organelle genome database project (GOBASE)

[nih.gov](#) [PDF]

M Korab-Laskowska, P Rioux, N Brossard, ... - Nucleic acids ..., 1998 - Oxford Univ Press
... in house to assist in the population of the **database**, data **validation**, nomenclature standardization ... and function of its product, the position in the published sequence, whether **partial** or **complete** ...
To permit an **object-oriented** view of a relational **database**, the Genera package [23 ...
[Cited by 36](#) - [Related articles](#) - [BL Direct](#) - [All 12 versions](#)

Specifying rule-based query optimizers in a reflective framework

[psu.edu](#) [PDF]

L Fegaras, D Maier, T Sheard - Deductive and **Object-Oriented** Databases, 1993 - Springer
... evaluating the queries, such that the produced plans are optimal with respect to some cost **model**. ...
Most **rule-based** term-rewriting systems in addition support a **partial** form of context sensitivity

in ... By using the escape operator in **object** programs it is possible to use reflection to ...
[Cited by 16](#) - [Related articles](#) - [BL Direct](#) - [All 14 versions](#)

[Inference in MLS database systems](#)

DG Marks - IEEE Transactions on Knowledge and Data ..., 1996 - [ieeexplore.ieee.org](#)
... A THEN (T, A'); or may be denoted as (T, A) + (T', A'). Since the **model** being used ... Any **query**
accessing the names of all "spies" (even without referring to, or retrieving Job) would ... Typically
a closed world is taken to mean that the **database** contains only true information, and all ...
[Cited by 55](#) - [Related articles](#) - [BL Direct](#) - [All 9 versions](#)

[On the transformation of object-oriented conceptual models to logical theories](#)

P Bekaert, B Van Nuffelen, M Bruynooghe, D ... - ... Modeling—ER 2002, 2003 - Springer
... Executable specifications, allowing **validation** and rapid prototyping, is another important issue
of investigation [11]. ... The functions are shown in Fig. 5. 6 We will only present some **partial**
fragments. ... Page 12. On the Transformation of **Object-Oriented Conceptual Models** 163 ...
[Cited by 5](#) - [Related articles](#) - [BL Direct](#) - [All 13 versions](#)

[buffalo.edu \[PDF\]](#)

[\[PDF\] Architecture of active database systems](#)

A Buchmann - Active Rules in Database Systems, 1999 - Citeseer
... **Validation** Privilege ... However, many systems, both relational and **object-oriented**, provide an
additional, explicit signaling mechanism for external events that ... To avoid this hotspot, some systems
use distributed logging with deferred consolidation of the **partial** logs [SZBW95]. ...
[Cited by 14](#) - [Related articles](#) - [View as HTML](#) - [All 6 versions](#)

[psu.edu \[PDF\]](#)

[Evaluation of the quality of information retrieval of clinical findings from a computerized patient database using a semantic terminological model](#)

PJB Brown, P Sönksen - Journal of the American Medical ..., 2000 - [jamia.bmj.com](#)
... The design of CTV3 employs **object-attribute-value** triples stored in a template file as a ... 20 This
has been extended in this study to provide at least **partial** representation of other ... of concepts
according to their meaning in a terminology (**semantic terminological model**) provides the ...
[Cited by 52](#) - [Related articles](#) - [All 12 versions](#)

[nih.gov \[HTML\]](#)

[Coordinating context building in heterogeneous information systems](#)

AM Ouksel, CF Naiman - Journal of Intelligent Information Systems, 1994 - Springer
... Schema(**partial**): ... The **object** level is considered to be a coarser or higher level of heterogeneity
than the attribute level, which is coarser than the ... the domain of the organization, as well as the
nature of the information stored in the **database**, which is data **model** independent. ...
[Cited by 85](#) - [Related articles](#) - [All 4 versions](#)

[uic.edu \[PDF\]](#)

[Challenges for Query Processing in Object-Oriented Databases](#)

OO Databases - **Query** processing for advanced **database** ..., 1994 - [books.google.com](#)
... 1987] is a structural **object model** with a more expressive **query** facility, but without an
abstract **type** definition system. Its **query model** is interesting in that the result of a **query**
is a subdatabase, rather than just a single collection of objects. ...
[Related articles](#) - [All 2 versions](#)

Application framework of objects for the provision of DICOM services

D Mason, BA Zimmerman - US Patent 5,668,998, 1997 - Google Patents

... PACS are only **partial** solutions to providing cost, without modification. ... is struction and use during the **validation of query** An advantage of the API toolkit framework of the ... of normalized informa- Film Session, Film Box, Image Box, Printer, Print Job, tion **object** definition module ...

Cited by 20 - Related articles

Requirements and comparison of view mechanisms for object-oriented databases* 1

R Motschnig-Pitrik - Information Systems, 1996 - Elsevier

... In general, it is assumed that, associated with a **query**, there exists some **partial** function f ... A LATTICE proposal allows for the update of view classes that are derived by **object** preserving **rules** ... The proposal shares with COOL the the fundamental **model** of a class hierarchy with the ...

Cited by 43 - Related articles - All 5 versions

[PDF] Technical Survey of XML Schema and Query Languages

[ucla.edu](#) [PDF]

A Bonifati, D Lee - 2001 - cobase.cs.ucla.edu

... As in the **object**-oriented paradigm, inheritance is done by extending/restricting the base **types**. ... Schematron is on **validating** XML structure, it does not provide any explicit built-in **type**. ... DTD:

Partial XML-Schema: Yes RELAX: **Partial** SOX: Yes Schematron: Yes DSD: **Partial** ...

Cited by 30 - Related articles - View as HTML - All 9 versions

[PDF] KIDS: Construction of database management systems based on reuse

[psu.edu](#) [PDF]

A Geppert, S Scherrer, KR Dittich - Bericht ifi-97.01, Department of ..., 1997 - Citeseer

... The execution order is defined relatively through a **partial** ordering of ECA-rules. ... transactions, so it might be responsible for a service called **validate**, requests for which are ... 1. The **object** management subsystem (OMS) implements the mapping from data **model** ob- ...

Cited by 33 - Related articles - View as HTML - All 8 versions

[PDF] Six spaces for global information systems design

[psu.edu](#) [PDF]

T Estier, G Falquet, J Guyot, M Léonard - 1991 - Citeseer

... structure (or hierarchy) is a set of semantic contexts ordered by a **partial** order relation ... The composition of the objects life-cycle Petri Net with the constraints **validation** PN, restricted to ... We shall analyze hereafter the relational and **object**-oriented models within the frame- work of ...

Cited by 8 - Related articles - View as HTML - All 4 versions

Vql: A query language for multiversion databases

T Abdessaleem, G Jomier - Database Programming Languages, 1998 - Springer

... Timestamps may be either mono or multidimensional, based on **validation** time, transaction time or user ... An o-value valuation function Vo is a **partial** function from variables x of **type** rE **types** ... The fifth column concerns the keeping of the track of an **object** through its versions, and ...

Cited by 9 - Related articles - BL Direct - All 5 versions

[PDF] A Framework for adaptive design

[psu.edu](#) [PDF]

M Devos, M Tilman, F Spiessens - Umea: Umeu University Department of ..., 1997 - Citeseer

... These **rules** capture business- semantics, set defaults and perform extra **validation**, filter information ... Example: **Rules** can be defined that are triggered whenever the **model** changes, taking appropriate ... As all **object types** are instances of the same meta-object type, conditions can ...

Cited by 2 - Related articles - View as HTML - All 3 versions

Context Inheritance and Content Inheritance in an Object-Oriented Data Model

LYSL Osborn - Advances in computing and information-ICC'91 1991 - books.google.com

... The (t) and (7) **partial** orderings can be considered to be a **complete** lattice ... Class Accommodation
Class harmonization and class accommodation are introduced mainly for **validating** (statically)
the ... the invokers 61,..., 64 can be either reached by a (persistent) **object** handle or ...
Related articles

An object-oriented SGML/HTML compliant multimedia database management system
MT Özsu, P Iglinski, D Szafron, S El-Medani, ... - Proceedings of the ..., 1997 - portal.acm.org
... Both insertion and deletion will involve validation by the SGML parser. ... EventType &Type
VariantType Figure 9. Partial Meta-type System ... Virtual function resolution ensures that any
metaType object will create the appropriate object(s) when its instantiation method is invoked. ...
Cited by 34 - Related articles - All 16 versions

psu.edu [PDF]

Querying the Semantic Web with RQL* 1

G Karvounarakis, A Magganaraki, S Alexaki, V ... - Computer networks, 2003 - Elsevier

... representation of **RDF** statements (ie, a **SQL** table with attributes **subject**, **predicate**, and **object**), as a ... In order to provide a crystal clear definition of the **RDF/S** data **model** semantics we ... **M p** ; For the subsumption relation , it holds that: the relation is a strict **partial** order (irreflexive ...

220.231.93.23 [PDF]

A rule-based querying and updating language for XML

W May - Database Programming Languages, 2002 - Springer

... city/N, N/where N/population : Schema **querying** can eg be used for **validation** wrt ... a given universe consists of an interpretation \mathcal{I} of pred- icates over the universe, and a (partial) mapping that ... The variable are then propagated to the **rule** head where facts are added to the **model**. ...

Cited by 11 - Related articles - BL Direct - All 8 versions

uni-goettingen.de [PS]

A TTCN-3 based online test and validation platform for Internet services

PH Deussen, G Din, I ... - The Sixth International 2003 - ieeexplore.ieee.org

... we consider **validation** in concurrent and distributed environments, the ordering can be **partial**: several steps ... from the target system – in particular, as the target system used itself **object oriented** data ... a prototype of this platform in order to experiment with the **validation** of services ...

Cited by 18 - Related articles - All 4 versions

[PDF] Deductive Repository Technology: Supporting Effective Domain Modelling and Validation

B Theodoulidis, P Alexakis - Proceedings of the 4th Workshop on the Next 1993 - Citeseer

... These are based on two constraints that are usually included in any ISA semantics namely, the **partial/total ISA** ... verification and **validation** purposes. ... On the contrary, employing a relational or object-oriented implementation platform complicates the transformation of ...

psu.edu [PDF]

G Kappel, S Rausch-Schott, W Reitschegger, in Computer Integrated ..., 1995 - Springer
... In order to ensure refer- ence **validation**, Ode supports three standard maintenance options. ... These
include **partial** and total ordering (prior, relative, sequence), limited and unlim- ited ... **Object-Oriented
Database System** [Bern92] is a prototype reac- tive **object-oriented system** ...
Cited by 6 - Related articles - All 8 versions

Modeling and querying semi-structured data

S Cluet - Information Extraction A Multidisciplinary Approach to ..., 1997 - Springer
... Only an experimental study can **validate/invalidate** this approach ... Both languages rely on generalized path expressions (GPE) to **query** data with no or **partial** knowledge of the ... This design choice seems natural since the language is intended to support an **object-oriented model** ...
Cited by 25 - Related articles - BI Direct - All 7 versions

A comparative analysis of methodologies for database schema integration

C Batin, M Lenzerini, SB Navathe - ACM Computing Surveys (..., 1986 - portal.acm.org
... Hence, we show the global schema as well as the data and query-mapping specifications to
be the ... A summary description of each is in Appendix 2. The data model used, inputs and outputs,
the general strategy, and ... Database integration context: local schema, global schema. ...
Cited by 1716 · Related articles · All 22 versions

psu.edu [PDF]

Computer-aided design databases

RH Katz - New directions for **database** systems, 1986 - books.google.com

... when a subsystem cannot be completed without the assistance of another designer, and the **partial** results have ... If the system crashes, the **object** is restored to its shadow state ... to remain the ... of consisten- cy, we believe that mechanisms to support design **validation** should be ...

Cited by 12 - Related articles - All 3 versions

[PDF] Dynamic query processing in a parallel object-oriented database system

CA van den Berg - 1994 - doc.utwente.nl
... 4 we discuss the Goblin (distributed) storage **model** and compare three alternative **object** representation models. ... Its **partial** implementation is used to test the efficiency of the processing scheme. ... and more radical approach is the design of a completely new **data model** and data ...
Cited by 4 - Related articles - View as HTML - All 7 versions

utwente.nl [PDF]

[BOOK] TEMPOS: A Temporal Database Model Seamlessly Extending ODMG

M Dumas, MC Fauvet, PC Scholl - 1999 - Citeseer

psu.edu [PDF]

Modeling in the Design of a KBS Validation System

... For instance, the knowledge engineer may want to see where and how a particular **object** is applied in ... Figure 3. A functional **model** of the KBS **validation** system. ... We illustrate the specification

of the general formal **model** by providing a **partial** formulation at two characterization ...

Cited by 18 - Related articles - All 2 versions

Life-cycle of a dual **object-oriented specification model** for real-time systems1

MA Bruno, P Nesi - Information and Software Technology, 1999 - Elsevier

... 2). In particular, Specification Assistant helps the user to automatically **complete partial** specifications and produces ... basis for the proposed life-cycle, but activities of verification and **validation** have to ... The Reuse Analysis starts by making a **query** on the **Object Database** by using ...

Cited by 3 - Related articles - All 7 versions

[PDF] Articulation management for intelligent integration of information

[stanford.edu](#) [PDF]

DA Maluf, PB Tran - IEEE Transactions on Systems, Man, and ..., 2001 - infolab.stanford.edu

... Similar **partial** information populates most semistructured information systems, eg, theWorldWideWeb. ... will be used to mirror hierarchically the declarative interfaces with **object** orientedflavor. ... includes a number of features to support the verification and **validation** of articulation ...

Cited by 11 - Related articles - View as HTML - BL Direct - All 7 versions

Knowledge-based document retrieval in office environments: the Kabiria system

[uml.edu](#) [PDF]

A Celentano, MG Fugini, S Pozzi - ACM Transactions on ..., 1995 - portal.acm.org

... Languages Additional Key Words and Phrases: Browser, class, hypertext, instance, knowledge base, link, **object** orientation, user ... Processing of user's information needs, in order to formulate a **query** in ... document **model** partly come from the wide literature on office modeling. ...

Cited by 32 - Related articles - BL Direct - All 5 versions


Tool support for object-oriented patterns

[serc.nl](#) [PDF]

G Fiorijn, M Meijers, P Van Winsen - ECOOP'97—Object-Oriented ..., 1997 - Springer

... 3 Roles are implemented as a particular kind of fragment **object**, ... A **partial** solution is to add such indirections to the constraint-checking, similarly to the use of the generalized path ... When something wrong is encountered during the **validation** process, an exception is raised. ...

Cited by 207 - Related articles - BL Direct - All 13 versions



Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

partial validation object model query Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

Google scholar "partial validation" object model querying database Search Advanced Scholar Search Scholar Preferences

Scholar Articles and patents - 2003 include citations Create email alert Results 1 - 6 of 6. (0.62 sec)

[Integrity control in relational database systems--an overview](#)

[utwente.nl](#) [PDF]

PWPJ Grefen, PMG Apers - Data & Knowledge Engineering, 1993 - Elsevier

... Referential integrity constraints are even more important if the relational data model is used for the representation of object-oriented structures. ... An example of an approach that does not satisfy this requirement is the query modification technique [81] (see Section 3.7.2). In ...

[Cited by 81](#) - [Related articles](#) - [All 10 versions](#)

[PDF] [Knowledgeescapes: A probabilistic model for mining tacit knowledge for information retrieval](#)

[psu.edu](#) [PDF]

HA Cheng - UC Berkley, 2001 - Citeseer

... While the overall results of our simulations are encouraging, they should be interpreted as partial validation of the internal consistency of our model, and not ... Table 3. Simulated performance of dynamic reranking vs number of documents browsed since query was submitted. ...

[Cited by 5](#) - [Related articles](#) - [View as HTML](#) - [All 5 versions](#)

[An Expert System for Reward Systems Design](#)

[dtic.mil](#) [PDF]

A Erturk, NAVAL POSTGRADUATE SCHOOL ... - 2000 - oai.dtic.mil

... Expert Systems 27 C. GENERAL OVERVIEW OF VISUAL BASIC 28 1. Object-Oriented Programming ... 1. Conceptual Design 47 2. Construction of Heuristics and Mathematical Model 48 B ... AND ERROR HANDLING 52 C. GRAPHICAL USER INTERFACE 54 1. Query Screens 55 ...

[All 3 versions](#)

[PDF] [Clustering Strategies in O2: an Overview](#)

[psu.edu](#) [PDF]

V veronique Benzaken, C Delobel, G Harrus - 1995 - Citeseer

... We will not try to cluster all the components of an object to-gether; instead, we try to ... part of the objects (ie, the composition hierarchy) and the operations performed on the database (ie, the ... To this end, we propose a cost model which evaluates the profits of a given strategy, then ...

[Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[Coordinating Policy for Federated Applications](#)

II Keynote - ... Annual Working Conference on Database Security, ..., 2001 - books.google.com

... Validation can be total or partial; so from a partial validation new proposals can be ... [CSGS94]

M. Castellanos, F. Salto and M. Garcia-Solaco: A Canonical Data Model for the ... In Ozsu, Dayal and Valduriez (eds), Distributed Object Management, pages 309-314, Morgan Kaufmann ...

[Related articles](#)

[Design and evaluation of the rollback chip: special purpose hardware for Time Warp](#)

[scilib.kiev.ua](#) [PDF]


RM Fujimoto, JJ Tsai, GC ... - IEEE Transactions on ..., 1992 - [ieeexplore.ieee.org](#)

... Such a machine would be programmed using conventional object-oriented or process-oriented ...

Warp has also been used in applications such as distributed database concurrency control [9 ...

schedule a "packet departure event" into the simulated future to model the subsequent ...

Cited by 83 - [Related articles](#) - [All 7 versions](#)

 [Create email alert](#)

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google